



 **nuova**  
**SIMONELLI**<sup>®</sup>  
espresso coffee machines



**PUBLIC PRICE LIST €**  
**2013**



## PRICE LIST

### TALENTO



Colore Special **Black**

Colore Plus **White**

Superautomatic espresso coffee machine with thermocompensated metal group; Double grinder ( $\Phi = 65$  mm); 1.5 kg containers; Double insulated boiler; two beverages brewed simultaneously with patented flow division system; Height-adjustable nozzle (85mm- 190mm); Mousse milk system with adjustable temperature and density (Vers. Special); Built-in cappuccino maker (Vers. Plus); Emulsifier built-in (Vers. Special);Stainless steel steam wand with new "easycream" system (Optional); Hot water wand in stainless steel; Multicolour graphic display; Body and frame in stainless steel; Hourly production of up to 240 cups of espresso and 180 cappuccinos; USB slot.

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>Special</b>	Coffee boiler Lt. 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH(400x608x844) mm Net/Gross Weight: 66/76 Kg	230 V	MTALE11CMK21	<b>9.300</b>
		380 V	MTALE11CMK21	
<b>Plus</b>	Coffee boiler Lt. 2; Service boiler Lt. 3; Power 5400W; Voltage 230V/380V; Frequency 50/60 Hz Dim WxDxH(400x608x844) mm Net/Gross Weight: 66/76 Kg	230 V	MTALE11CAP21	<b>8.200</b>
		380 V	MTALE11CAP21	
<b>Milk fridge module</b>	Refrigerating compressor; Refrigerating gas R134a; Capacity Lt. 15; Power 100W; Temperature electronic control with LCD display; Voltage 230 50/60Hz; Dim WxDxH (270x430x700) mm Net/Gross Weight: 18/22 Kg	230 V	KFP20202	<b>1.940</b>
<b>Cup warmer module</b>	N. 3 drawers; Cups per drawer: 30 coffee or 16 cappuccinos; Power 300W; Voltage 230 50/60Hz; Dim WxDxH (270x430x700) mm Net/Gross Weight: 10/14 Kg	230 V	KSET0001	<b>1.025</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>Block beans container lock system</b>	Lock system by keys		98160020	<b>30</b>
<b>Hot water economizer</b>				<b>100</b>
<b>"Easy cream" steam wand</b>	With air compressor and milk temperature electronic control	Special		<b>580</b>
		Plus		<b>350</b>
<b>International certification</b>				<b>75</b>
<b>Water softener</b>	Water softener 8 lt	Manual	KD80000	<b>120</b>
	Water softener 9 lt Electronic - Volumetric	Automatic	KD9E0000	<b>710</b>
	Water softener 12 lt	Manual	KD120000	<b>140</b>
<b>Direct drain drawer</b>	Made of stainless steel with direct drain			<b>35</b>



## PRICE LIST

### PRONTOBAR

Superautomatic espresso coffee machine with removable and thermocompensated metal group; Volumetric pump; Built-in cappuccino maker; 1 or 2 grinders (Ø = 50 mm); 0,8 kg containers; Double insulated boiler; Height-adjustable nozzle; Stainless steel steam wand with Autosteam system (Optional); Hot water wand in stainless steel; Multifunction graphic display; Water tank or direct connection (Vers. AD); Body and frame in stainless steel and ABS; Hourly production of up to 140 cups of espresso and 70 cappuccinos; USB slot.

**NUOVA CON POMPA  
VOLUMETRICA**



Standard Colour

Black  White

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>1 grinder</b>	Group Ø 43 mm.; 1 Grinder (Ø = 50 mm); Boiler capacity 1.4 liters; Water Tank Capacity: 5 liters; Power: 2000 W; Voltage: 208/240V; Frequency: 50/60 Hz; Dimensions: WxDxH (330x520x600); Net/Gross weight: 33/39 Kg	230V	MPROB13CAP11	<b>4.160</b>
<b>1 grinder AD</b>	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity 1.4 liters, Direct Water Mains attachment, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 33/39 Kg	230V	MPROB13CAP11	<b>4.160</b>
<b>2 grinders</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity 1.4 liters, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 37/43 Kg	230V	MPROB13CAP21	<b>4.490</b>
<b>2 grinders AD</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity 1.4 liters, Direct Water Mains attachment, Power: 2000 W, Voltage: 208/240V, frequency: 50/60 Hz Dimensions: WxDxH (330x520x600) Net/Gross weight: 37/43 Kg	230V	MPROB13CAP21	<b>4.490</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>International certification</b>				<b>75</b>
<b>Hot water extension</b>	For caffè americano			<b>60</b>
<b>"Smart Wand" steam wand</b>	With milk temperature electronic control			<b>330</b>
<b>Thermoelectric Fridge</b>	Capacity 15 lt, Power 65 W, Voltage 230/12V; W x D x H 200 x 315 x 450, Weight 5 Kg	15 lt	KFPML15D00	<b>135</b>
<b>Cup warmer module</b>	Power 200W; Voltaggio 230V - 50 Hz; WxDxH 250 x 295 x 480 Weight 7,3 Kg.		ASCMICRO30.1	<b>495</b>
<b>Direct drain drawer</b>	In stainless steel with direct discharge base			<b>25</b>



## PRICE LIST

### M I C R O B A R

Superautomatic compact machine with Built-in Cappuccino maker; Removable metal group; 1 or 2 built-in grinders (Ø = 50 mm); Built-in Hopper 500 g; Insulated double boiler; Removable and height adjustable dispenser; Removable water tank or direct connection to the water mains (AD Version). Stainless steel and ABS body; Up to 100 espressos or cappuccinos per day.



Standard Colours

■ Grigio cielo

■ Rosso cuore

MODEL	FEATURES	VERSIONS	CODE	PRICE €
<b>1 grinder</b>	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity: Lt 1.4, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 31/36 Kg	115V	MMICRO8CAP110	<b>2.860</b>
		230V	MMICRO8CAP110	<b>2.860</b>
<b>1 grinder AD</b>	Group Ø 43 mm., 1 Grinder (Ø = 50 mm) Boiler capacity: Lt 1.4, Direct Water Mains attachment, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 31/36 Kg	115V	MMICRO8CAP11A	<b>2.930</b>
		230V	MMICRO8CAP11A	<b>2.930</b>
<b>2 grinder</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity: Lt 1.4, Water Tank Capacity: 5 liters, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 35/40 Kg	115V	MMICRO8CAP210	<b>3.150</b>
		230V	MMICRO8CAP210	<b>3.150</b>
<b>2 grinder AD</b>	Group Ø 43 mm., 2 Grinders (Ø = 50 mm) Boiler capacity: Lt 1.4, Direct Water Mains attachment, Power: 2000 W, Voltage: 115/230V, Frequency: 50/60 Hz Dimensions: WxDxH (320x445x480); Net / Gross weight: 35/40 Kg	115V	MMICRO8CAP21A	<b>3.210</b>
		230V	MMICRO8CAP21A	<b>3.210</b>

OPTIONAL	FEATURES	VERSIONS	CODE	PRICE €
<b>Thermoelectric Fridge</b>	Capacity: 15 lt; Power 65W; Voltage 230/12 V; WxDxH 200x315x450; Weight 5 Kg	15lt	KFPML15D00	<b>135</b>
<b>Cup warmer module</b>	Power 200 W; Voltage 230 V - 50 Hz; WxDxH 250x295x480; Weight 7,3 Kg		ASCMICRO30.1	<b>495</b>
<b>Coffee Hopper</b>	Capacity 0,5 Kg; H 85 mm; Colour Smoke		05000706.F	<b>10</b>
<b>Stainless steel base</b>	Base with direct discharge drawer WxDxH 325x460x150		KCS00005	<b>345</b>
<b>Direct Discharge Kit</b>		Grigio cielo ■	KSFD0000	<b>80</b>
		Rosso cuore ■	KSFD0001	<b>80</b>